CLAIMS

1. A process for relating a service provider resource with a fixed identifier that allows resource requestors to consistently access a service provider resource without being affected by changes to the service provider resource, comprising the steps of:

5

10

15

20

30

providing request reception means on a central server for receiving a resource information request from a resource requestor for a particular resource;

extracting a service provider identifier from said resource information request; wherein said identifier is a predetermined identifier;

providing a resource information database resident on said central server that contains cross references from service provider identifiers to service provider resource information;

wherein said database contains resource information for all of the service providers within the central server's area of responsibility;

wherein the database resource information includes, but is not limited to, resource description and resource universal resource locator (URL) address; and

wherein said central server references said database using said extracted service provider identifier and retrieves an associated service provider resource's information from said database.

- 2. The process of Claim 1, wherein said central server's area of responsibility is locality, assignment, or trust based.
- 25 3. The process of Claim 1, wherein said service provider identifier is a universal resource identifier (URI).
 - 4. The process of Claim 1, wherein said central server returns the retrieved service provider resource information to said resource requestor.
 - 5. The process of Claim 4, wherein said central server verifies said resource information request before returning the retrieved service provider resource information.
- 6. The process of Claim 1, wherein said resource requestor uses the URL from the retrieved service provider resource information to access the resource from the service provider.

- 7. The process of Claim 1, wherein said resource requestor uses the retrieved service provider resource information to display the resource description to a user.
- 8. A process for relating a service provider resource with a fixed identifier that allows resource requestors to consistently access a service provider resource without being affected by changes to the service provider resource, comprising the steps of:

5

10

15

25

providing request reception means on a service provider site for receiving a resource information request from a resource requestor for a particular resource;

extracting a service provider identifier from said resource information request; wherein said identifier is a predetermined identifier;

providing a resource information database resident on said service provider site that contains cross references from service provider identifiers to information for associated resources of said service provider;

wherein the database resource information includes, but is not limited to, resource description and resource universal resource locator (URL) address; and

wherein said service provider site references said database using said extracted service provider identifier and retrieves an associated resource's information from said database.

- 9. The process of Claim 8, wherein said service provider identifier is a universal resource identifier (URI).
 - 10. The process of Claim 8, wherein said service provider site returns the retrieved resource information to said resource requestor.
 - 11. The process of Claim 10, wherein said service provider site verifies said resource information request before returning the retrieved resource information.
- 12. The process of Claim 8, wherein said resource requestor uses the URL from the retrieved resource information to access the resource from the service provider.
 - 13. The process of Claim 8, wherein said resource requestor uses the retrieved resource information to display the resource description to a user.
- 35 14. An apparatus for relating a service provider resource with a fixed identifier that allows resource requestors to consistently access a service provider resource without being affected by changes to the service provider resource, comprising:

request reception means on a central server for receiving a resource information request from a resource requestor for a particular resource;

a module for extracting a service provider identifier from said resource information request;

wherein said identifier is a predetermined identifier;

5

10

25

35

a resource information database resident on said central server that contains cross references from service provider identifiers to service provider resource information;

wherein said database contains resource information for all of the service providers within the central server's area of responsibility;

wherein the database resource information includes, but is not limited to, resource description and resource universal resource locator (URL) address; and

wherein said central server references said database using said extracted service provider identifier and retrieves an associated service provider resource's information from said database.

- 15. The apparatus of Claim 14, wherein said central server's area of responsibility is locality, assignment, or trust based.
 - 16. The apparatus of Claim 14, wherein said service provider identifier is a universal resource identifier (URI).
- 20 16. The apparatus of Claim 14, wherein said central server returns the retrieved service provider resource information to said resource requestor.
 - 17. The apparatus of Claim 16, wherein said central server verifies said resource information request before returning the retrieved service provider resource information.
 - 18. The apparatus of Claim 14, wherein said resource requestor uses the URL from the retrieved service provider resource information to access the resource from the service provider.
- 30 19. The apparatus of Claim 14, wherein said resource requestor uses the retrieved service provider resource information to display the resource description to a user.
 - 20. An apparatus for relating a service provider resource with a fixed identifier that allows resource requestors to consistently access a service provider resource without being affected by changes to the service provider resource, comprising:

request reception means on a service provider site for receiving a resource information request from a resource requestor for a particular resource;

a module for extracting a service provider identifier from said resource information request;

wherein said identifier is a predetermined identifier;

a resource information database resident on said service provider site that contains cross references from service provider identifiers to information for associated resources of said service provider;

5

wherein the database resource information includes, but is not limited to, resource description and resource universal resource locator (URL) address; and

wherein said service provider site references said database using said extracted service provider identifier and retrieves an associated resource's information from said database.

10

- 21. The apparatus of Claim 20, wherein said service provider identifier is a universal resource identifier (URI).
- 22. The apparatus of Claim 20, wherein said service provider site returns the retrieved resource information to said resource requestor.
 - 23. The apparatus of Claim 23, wherein said service provider site verifies said resource information request before returning the retrieved resource information.
- 20 24. The apparatus of Claim 20, wherein said resource requestor uses the URL from the retrieved resource information to access the resource from the service provider.
 - 25. The apparatus of Claim 20, wherein said resource requestor uses the retrieved resource information to display the resource description to a user.